ISOLTECNO

PAVIMENTO STAMPATO…..
L’ARTE AI TUOI PIEDI.

ISOLTECNO



Bello, unico, pratico. Con il pavimento stampato puoi avere esattamente il pavimento che desideri: di grande effetto scenico, personalizzabile nelle forme e nei colori, estremamente resistente agli agenti atmosferici e all'usura, facile da pulire e da mantenere.

I TUOI DESIDERI LA NOSTRA ESPERIENZA



Colour hardstone Zinco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate
Greca/Border/Frise: Verona stone border



Colour hardstone: Sun buff
Release agent/Démoulant: Mapplewood
Stampo/Stamp/Matrice: Bushed border
Greca/Border/Frise: Cut stone border



Colour hardstone: Pewter
Release agent/Démoulant: Gray
Stampo/Stamp/Matrice: European fan
Greca/Border/Frise: London cobble strip



Colour hardener: Bianco
Release agent/Démoulant: Sun buff
Stampo/Stamp/Matrice: Rough stone texture



Colour hardstone: Zinco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate
Greca/Border/Frise: Verona stone border
Ideal stain: Ebony

LA NATURA NON FAREBBE DI MEGLIO





Colour hardstone: Yellow buff, Tabacco
Release agent/Démoulant: Mapplewood, Gray
Stampo/Stamp/Matrice: Random cobblestone
Greca /Border/Frise: Cut stone border
Ideal stain: Terracotta

Il pavimento stampato mantiene le caratteristiche di praticità del calcestruzzo e lo trasforma in una superficie nobile, che ricrea la bellezza naturale della pietra, della roccia, della ceramica, dei mattoni e addirittura del legno. In più, è estremamente versatile e ti consente di scegliere tra una vasta gamma di forme e di colori, per ottenere la soluzione che fa per te.



Colour hardstone: Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate
Greca/Border/Frise: Cut stone border
Ideal stain: Ebony




Colour hardstone: Charcoal - Bianco
Release agent/Démoulant: Black - Adobe buff
Stampo/Stamp/Matrice: Ashlar cut slate
Ideal stain: Ebony
Greca/Border/Frise: Roman slate texture





Colour hardstone: Bianco
Release agent/Démoulant: Neutro, Gray
Stampo/Stamp/Matrice: Castle stone
Greca/Border/Frise: Bushed border



Colour hardstone: Terracotta, Bianco, Rosa
Release agent/Démoulant: Gray
Stampo/Stamp/Matrice: Herringbone used brick
Greca/Border/Frise: Cut stone border



Colour hardstone Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Rough stone texture, Stone of A
Rosone/Medallion/Rosace: Compass
Ideal stain: Ebony, Amber, Brown



Colour hardstone Yellow buff
Release agent/Démoulant: Mapplewood
Stampo/Stamp/Matrice: Roman slate texture

SUPERFICI BELLE DA VIVERE



thens





Colour hardstone: Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Ashlar cut slate

Ideale sia per rinnovare superfici esistenti che per realizzarne di nuove, il pavimento stampato consente di ottenere delle superfici non solo altamente innovative, ma anche belle da vivere. L'eccezionale effetto scenico e la grande praticità lo rendono perfetto oltre che per le abitazioni private, anche per strade, piazzali, piste ciclabili, marciapiedi, aree pedonali, centri commerciali, hotel, campeggi e parchi divertimenti.



Colour hardstone Terracotta, Bianco, Rosa
Release agent/Démoulant: Gray
Stampo/Stamp/Matrice: Herringbone used brick
Greca/Border/Frise: Cut stone border

ISOLTECNO

COS'È ILPAVIMENTO STAMPATO






Il pavimento stampato è una pavimentazione monolitica in calcestruzzo colorato e corazzato con il premiscelato HARDSTONE (colori disponibili in cartella colori).

Il calcestruzzo dovrà essere di ottima qualità, conforme alle normative vigenti, additivato con fibre in polipropilene Ideal fibre e armato con rete elettrosaldata. Una volta incorporato e lisciato Colour HARDSTONE , si procede all'applicazione di STONART release agent, un distaccante colorato in polvere che, oltre a conferire alla superficie l'effetto antichizzato, consente di mantenere separati gli stampi dal calcestruzzo fresco. Il catalogo offre numerosi stampi che riproducono il disegno di pavimenti in pietra, laterizio, legno e che possono essere composti con greche, rosoni, motivi decorativi realizzabili anche a progetto.
Stampato il pavimento, si procede alla realizzazione dei giunti di controllo, al lavaggio della superficie e alla stesura della resina protettiva Ideal Sealer che rende la pavimentazione completamente antimuffa, antipolvere, antiscivolo e antiassorbimento.

FASI DI APPLICAZIONE



Preparazione del supporto

A. Il sottofondo dovrà essere ben costipato e rullato.
B. Casseratura e posa di rete elettro-saldata.

Applicazione Pavimento stampato

1. Il calcestruzzo additivato con fibre in polipropilene Ideal fibre andrà steso come di consueto, regolando le pendenze necessarie.
2. Applicazione e incorporazione del Colour HARDSTONE in 2 o 3 differenti applicazioni.
3. Rifinitura e lisciatura della superficie.
4. Applicazione del distaccante colorato STONART release agent.
5. Stampaggio e rifinitura con attrezzi professionali STONE
6. A pavimento indurito si procederà al lavaggio Della superficie con idropulitrice e monospazzola e alla realizzazione dei giunti di controllo.
7. Dopo alcuni giorni, è consigliato applicare una resina protettiva. Il tipo di resina sarà scelto in funzione al traffico e al luogo di applicazione.

ISOLTECNO





Colour hardSTONE: Desert tan
Release agent/Démoulant: Tabacco
Stampo/Stamp/Matrice: Fractured
Cyprus slate





Colour hardSTONE: Bianco
Release agent/Démoulant: Neutro, Gray
Stampo/Stamp/Matrice: Cedar wood plank

Colour hardSTONE: Yellow buff, Tabacco
Release agent/Démoulant: Mapplewood, Gray
Stampo/Stamp/Matrice: Rough stone texture, Random cobblestone
Greca /Border/Frise: Cut stone border
Ideal stain: Terracotta



Colour hardstone Zinco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate
Greca/Border/Frise: Verona stone border
Ideal stain: Ebony



Colour hardSTONE: Sun buff
Release agent/Démoulant: Marrone
Stampo/Stamp/Matrice: Random stone
Ideal stain: Amber








Colour hardstone Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Stone of Athens
Greca/Border/Frise: Burned border
Ideal stain: Ebony

Il pavimento stampato resiste a qualsiasi agente atmosferico e agli sbalzi termici e, grazie alla sua struttura monolitica, non è soggetto ad avvallamenti o assestamenti. È inoltre facile da pulire e da mantenere, antimuffa, antipolvere, antisdrucciolo e particolarmente resistente all'usura e all'abrasione.
Quando il gioco si fa duro, il pavimento stampato dà il meglio di sé.



Colour hardstone: Bianco
Release agent/Démoulant: Mapplewood, Gray
Stampo/Stamp/Matrice: Rough stone texture
Greca/Border/Frise: Bushed border



Colour hardstone: Bianco
Release agent/Démoulant: Sun buff, Gray
Stampo/Stamp/Matrice: European fan
Greca/Border/Frise: Cut stone border
Ideal stain: Amber, Brown



Colour hardstone: Gray
Release agent/Démoulant: Charcoal
Stampo/Stamp/Matrice: Old english cobblestone
Greca/Border/Frise: Cut stone border
Ideal stain: Ebony






Colour hardstone: Marrone, Sand buff
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Grand ashlar slate
Greca /Border/Frise: Cut stone border



















ATE
LASCELTA



01 Stampo:Largeashlarcutslate / Colourhardener:Pewter /Releaseagent:Antracite
Stamp:Largeashlarcutslate/Colourhardener:Pewter/Releaseagent:Antracite
Matrice: Large ashlar cut slate / Colour hardener: Pewter / Démoulant: Antracite

02 Stampo: Bushed border / Colour hardener: Bianco / Release agent: Sun buff
Stamp: Bushed border / Colour hardener: Bianco / Release agent: Sun buff
Matrice: Bushed border / Colour hardener: Bianco / Démoulant: Sun buff

03 Stampo: Walkway slate / Colour hardener: Bianco / Realease agent: Redwood
Stamp: Walkway slate / Colour hardener: Bianco / Release agent: Redwood
Matrice: Walkway slate / Colour hardener: Bianco / Démoulant: Redwood

04 Stampo: Stone of Athens / Colour hardener: Sun buff / Release agent: Antracite / Acidificato Amber
Stamp: Stone of Athens / Colour hardener: Sun buff / Release agent: Antracite / Ideal stain: Amber
Matrice: Stone of Athens / Colour hardener: Sun buff / Démoulant: Antracite / Acidifié Amber

05 Stampo: Rough stone texture / Colour hardener: Mapplewood / Release agent: Marrone
Stamp: Rough stone texture / Colour hardener: Mapplewood / Release agent: Marrone
Matrice: Rough stone texture / Colour hardener: Mapplewood / Démoulant: Marrone

06 Stampo: Regal ashlar slate / Colour hardener: Sun buff / Release agent: Antracite
Stamp: Regal ashlar slate / Colour hardener: Sun buff / Release agent: Antracite
Matrice: Regal ashlar slate / Colour hardener: Sun buff / Démoulant: Antracite

07 Stampo: Herringbone used brick / Colour hardener: Rosso mattone / Realease agent:Antracite
Stamp: Herringbone used brick / Colour hardener: Rosso mattone / Realease agent: Antracite
Matrice: Herringbone used brick / Colour hardener: Rosso mattone / Démoulant: Antracite

08 Stampo: Running bond used brick / Colour hardener: Terracotta / Release agent: Charcoal
Stamp: Running bond used brick / Colour hardener: Terracotta / Release agent: Charcoal
Matrice: Running bond used brick / Colour hardener: Terracotta / Démoulant: Charcoal

09 Stampo: Rotating Venetian marble / Colour hardener: Bianco / Release agent: Mapplewood
Stamp: Rotating Venetian marble / Colour hardener: Bianco / Release agent: Mapplewood
Matrice: Rotating Venetian marble / Colour hardener: Bianco / Démoulant: Mapplewood

10 Stampo: Mattone di Siena / Colour hardener: Bianco / Release agent: Mapplewood
Stamp: Mattone di Siena / Colour hardener: Bianco / Release agent: Mapplewood
Matrice: Mattone di Siena / Colour hardener: Bianco / Démoulant: Mapplewood

11 Stampo: Roman slate texture / Colour hardener: Sun buff / Release agent: Marrone
Stamp: Roman slate texture / Colour hardener: Sun buff / Release agent: Marrone
Matrice: Roman slate texture / Colour hardener: Sun buff / Démoulant: Marrone

12 Stampo: Castle stone / Colour hardener: Cream / Realease agent: Marrone
Stamp: Castle stone / Colour hardener: Cream / Realease agent: Marrone
Matrice: Castle stone / Colour hardener: Cream / Démoulant: Marrone

13 Stampo: European fan / Colour hardener: Gray / Release agent: Antracite
Stamp: European fan / Colour hardener: Gray / Release agent: Antracite
Matrice: European fan / Colour hardener: Gray / Démoulant: Antracite

14 Stampo: Random stone / Colour hardener: Yellow buff / Release agent: Tabacco
Stamp: Random stone / Colour hardener: Yellow buff / Release agent: Tabacco
Matrice: Random stone / Colour hardener: Yellow buff / Démoulant: Tabacco

15 Stampo: Ashlar cut slate / Colour hardener: Tortora / Release agent: Antracite
Stamp: Ashlar cut slate / Colour hardener: Tortora / Release agent: Antracite
Matrice: Ashlar cut slate / Colour hardener: Tortora / Démoulant: Antracite

16 Stampo: Cedar wood plank / Colour hardener: Bianco / Release agent: Mapplewood
Stamp: Cedar wood plank / Colour hardener: Bianco / Release agent: Mapplewood
Matrice: Cedar wood plank / Colour hardener: Bianco / Démoulant: Mapplewood

17 Stampo: Grand ashlar slate / Colour hardener:Yellow buff / Release agent:Antracite
Stamp: Grand ashlar slate / Colour hardener: Yellow buff / Release agent: Antracite
Matrice: Grand ashlar slate / Colour hardener: Yellow buff / Démoulant: Antracite

18 Stampo:FracturedCyprusslate/Colourhardener:Bianco/Releaseagent:Terracotta
Stamp: Fractured Cyprus slate / Colour hardener: Bianco / Release agent:Terracotta
Matrice: Fractured Cyprus slate / Colour hardener: Bianco / Démoulant: Terracotta



Colour hardener: Bianco, Zinco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate, European fan
Greca/Border/Frise: Cut stone border
Ideal stain: Ebony

Pavimento Sassoitalia
Sassoitalia Terrazzo Technology
Revêtement en béton désactivé-Sassoitalia





Muro Stampato
Vertical Texturing Systems
Revêtements muraux





Sistema Micro-Topping
Micro-Topping System
Système Micro-Topping





PavimentoAcidificato e Nuvolato
Reactive Stain and Nuvolato floor
Revêtement acidifié et ciré





:

ISOLTECNO

ISOLTECNO di Bruno Di Marino
Via Della Torre,28
80014 Giugliano in Campania (NA)
Tel. 081 8951513.