

ISOLTECNO

**PAVIMENTO STAMPATO.....
L'ARTE AI TUOI PIEDI.**



Bello, unico, pratico. Con il pavimento stampato puoi avere esattamente il pavimento che desideri: di grande effetto scenico, personalizzabile nelle forme e nei colori, estremamente resistente agli agenti atmosferici e all'usura, facile da pulire e da mantenere.

**I TUOI
DESIDERI
LA NOSTRA
ESPERIENZA**



Colour hardstone Zinco
Release agent/Démoulant: Antracite
Stamp/Stamp/Matrice: Large ashlar cut slate
Greca/Border/Frise: Verona stone border



Colour hardstone: Sun buff
Release agent/Démoulant: Mapplewood
Stampo/Stamp/Matrice: Bushed border
Greca/Border/Frise: Cut stone border





Colour hardstone: Pewter
Release agent/Démoulant: Gray
Stampo/Stamp/Matrice: European fan
Greca/Border/Frise: London cobble strip




Colour hardener: Bianco
Release agent/Démoulant: Sun buff
Stampo/Stamp/Matrice: Rough stone texture



Colour hardstone: Zinco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut
slate
Greca/Border/Frise: Verona stone border
Ideal stain: Ebony

LA NATURA NON FAREBBE DI MEGLIO



Colour hardstone: Yellow buff, Tabacco
Release agent/Démoulant: Mapplewood, Gray
Stampo/Stamp/Matrice: Random cobblestone
Greca /Border/Frise: Cut stone border
Ideal stain: Terracotta

Il pavimento stampato mantiene le caratteristiche di praticità del calcestruzzo e lo trasforma in una superficie nobile, che ricrea la bellezza naturale della pietra, della roccia, della ceramica, dei mattoni e addirittura del legno. In più, è estremamente versatile e ti consente di scegliere tra una vasta gamma di forme e di colori, per ottenere la soluzione che fa per te.



Colour hardstone: Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate
Greca/Border/Frise: Cut stone border
Ideal stain: Ebony



Colour hardstone: Charcoal - Bianco
Release agent/Démoulant: Black - Adobe buff
Stampo/Stamp/Matrice: Ashlar cut slate
Ideal stain: Ebony
Greca/Border/Frise: Roman slate texture



Colour hardstone: Bianco
Release
agent/Démoulant: Neutro,
Gray
Stampo/Stamp/Matrice:
Castle stone
Greca/Border/Frise:
Bushed border



Colour hardstone: Terracotta, Bianco, Rosa
Release agent/Démoulant: Gray
Stampo/Stamp/Matrice: Herringbone used brick
Greca/Border/Frise: Cut stone border



Colour hardstone Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Rough stone texture, Stone of A
Rosone/Medallion/Fosace: Compass
Ideal stain: Ebony, Amber, Brown



Colour hardstone Yellow buff
Release agent/Démoulant: Mapplewood
Stampo/Stamp/Matrice: Roman slate texture

SUPERFICI BELLE DA VIVERE



Colour hardstone: Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Ashlar cut slate

Ideale sia per rinnovare superfici esistenti che per realizzarne di nuove, il pavimento stampato consente di ottenere delle superfici non solo altamente innovative, ma anche belle da vivere. L'eccezionale effetto scenico e la grande praticità lo rendono perfetto oltre che per le abitazioni private, anche per strade, piazzali, piste ciclabili, marciapiedi, aree pedonali, centri commerciali, hotel, campeggi e parchi divertimenti.



Colour hardstone Terracotta, Bianco, Rosa
Release agent/Démoulant: Gray
Stamp/Stamp/Matrice: Herringbone used brick
Greca/Border/Frise: Cut stone border

ISOLTECNO


COS'È IL PAVIMENTO STAMPATO



Il pavimento stampato è una pavimentazione monolitica in calcestruzzo colorato e corazzato con il premiscelato HARDSTONE (colori disponibili in cartella colori).

Il calcestruzzo dovrà essere di ottima qualità, conforme alle normative vigenti, additivato con fibre in polipropilene Ideal fibre e armato con rete elettrosaldata. Una volta incorporato e lisciato Colour HARDSTONE, si procede all'applicazione di STONART release agent, un distaccante colorato in polvere che, oltre a conferire alla superficie l'effetto antichizzato, consente di mantenere separati gli stampi dal calcestruzzo fresco. Il catalogo offre numerosi stampi che riproducono il disegno di pavimenti in pietra, laterizio, legno e che possono essere composti con greche, rosoni, motivi decorativi realizzabili anche a progetto. Stampato il pavimento, si procede alla realizzazione dei giunti di controllo, al lavaggio della superficie e alla stesura della resina protettiva Ideal Sealer che rende la pavimentazione completamente antimuffa, antipolvere, antiscivolo e antiassorbimento.

FASI DI APPLICAZIONE



Preparazione del supporto

- A. Il sottopavimento dovrà essere ben costipato e rullato.
- B. Casseratura e posa di rete elettro-saldata.

Applicazione Pavimento stampato

1. Il calcestruzzo additivato con fibre in polipropilene Ideal fibre andrà steso come di consueto, regolando le pendenze necessarie.
2. Applicazione e incorporazione del Colour HARDSTONE in 2 o 3 differenti applicazioni.
3. Rifinitura e lisciatura della superficie.
4. Applicazione del distaccante colorato STONART release agent.
5. Stampaggio e rifinitura con attrezzi professionali STONE
6. A pavimento indurito si procederà al lavaggio della superficie con idropulitrice e monospazzola e alla realizzazione dei giunti di controllo.
7. Dopo alcuni giorni, è consigliato applicare una resina protettiva. Il tipo di resina sarà scelto in funzione al traffico e al luogo di applicazione.

SOITECNO





Colour hardSTONE: Desert tan
Release agent/Démoulant: Tabacco
Stampo/Stamp/Matrice: Fractured
Cyprus slate



Colour hardSTONE: Bianco
Release agent/Démoulant: Neutro, Gray
Stampo/Stamp/Matrice: Cedar wood plank



Colour hardSTONE: Yellow buff, Tabacco
 Release agent/Démoulant: Maplewood, Gray
 Stampo/Stamp/Matrice: Rough stone texture,
 Random cobblestone
 Greca /Border/Frise: Cut stone border
 Ideal stain: Terracotta



Colour hardstone Zinco
 Release agent/Démoulant: Antracite
 Stampo/Stamp/Matrice: Large ashlar cut slate
 Greca/Border/Frise: Verona stone border
 Ideal stain: Ebony



Colour hardSTONE: Sun buff
 Release agent/Démoulant: Marrone
 Stampo/Stamp/Matrice: Random stone
 Ideal stain: Amber



Colour hardstone Bianco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Stone of Athens
Greca/Border/Frise: Buoned border
Ideal stain: Ebony

Il pavimento stampato resiste a qualsiasi agente atmosferico e agli sbalzi termici e, grazie alla sua struttura monolitica, non è soggetto ad avvallamenti o assestamenti. È inoltre facile da pulire e da mantenere, antimuffa, antipolvere, antisdrucchiolo e particolarmente resistente all'usura e all'abrasione.

Quando il gioco si fa duro, il pavimento stampato dà il meglio di sé.



Colour hardstone: Bianco
 Release agent/Démoulant: Mapplewood, Gray
 Stampo/Stamp/Matrice: Rough stone texture
 Greca/Border/Frise: Bushed border




Colour hardstone: Bianco
 Release agent/Démoulant: Sun buff, Gray
 Stampo/Stamp/Matrice: European fan
 Greca/Border/Frise: Cut stone border
 Ideal stain: Amber, Brown




Colour hardstone: Gray
 Release agent/Démoulant: Charcoal
 Stampo/Stamp/Matrice: Old english cobblestone
 Greca/Border/Frise: Cut stone border
 Ideal stain: Ebony



Colour hardstone: Marrone, Sand buff
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Grand ashlar slate
Greca /Border/Frise: Cut stone border



ATE LASCELTA



- 01 Stamp: Large ashlar cut slate / Colour hardener: Pewter / Release agent: Antracite
Stamp: Large ashlar cut slate / Colour hardener: Pewter / Release agent: Antracite
Matrice: Large ashlar cut slate / Colour hardener: Pewter / Démoulant: Antracite
- 02 Stamp: Bushed border / Colour hardener: Bianco / Release agent: Sun buff
Stamp: Bushed border / Colour hardener: Bianco / Release agent: Sun buff
Matrice: Bushed border / Colour hardener: Bianco / Démoulant: Sun buff
- 03 Stamp: Walkway slate / Colour hardener: Bianco / Release agent: Redwood
Stamp: Walkway slate / Colour hardener: Bianco / Release agent: Redwood
Matrice: Walkway slate / Colour hardener: Bianco / Démoulant: Redwood
- 04 Stamp: Stone of Athens / Colour hardener: Sun buff / Release agent: Antracite / Acidificato Amber
Stamp: Stone of Athens / Colour hardener: Sun buff / Release agent: Antracite / Ideal stain: Amber
Matrice: Stone of Athens / Colour hardener: Sun buff / Démoulant: Antracite / Acidifié Amber
- 05 Stamp: Rough stone texture / Colour hardener: Mapplewood / Release agent: Marrone
Stamp: Rough stone texture / Colour hardener: Mapplewood / Release agent: Marrone
Matrice: Rough stone texture / Colour hardener: Mapplewood / Démoulant: Marrone
- 06 Stamp: Regal ashlar slate / Colour hardener: Sun buff / Release agent: Antracite
Stamp: Regal ashlar slate / Colour hardener: Sun buff / Release agent: Antracite
Matrice: Regal ashlar slate / Colour hardener: Sun buff / Démoulant: Antracite
- 07 Stamp: Herringbone used brick / Colour hardener: Rosso mattone / Release agent: Antracite
Stamp: Herringbone used brick / Colour hardener: Rosso mattone / Release agent: Antracite
Matrice: Herringbone used brick / Colour hardener: Rosso mattone / Démoulant: Antracite
- 08 Stamp: Running bond used brick / Colour hardener: Terracotta / Release agent: Charcoal
Stamp: Running bond used brick / Colour hardener: Terracotta / Release agent: Charcoal
Matrice: Running bond used brick / Colour hardener: Terracotta / Démoulant: Charcoal
- 09 Stamp: Rotating Venetian marble / Colour hardener: Bianco / Release agent: Mapplewood
Stamp: Rotating Venetian marble / Colour hardener: Bianco / Release agent: Mapplewood
Matrice: Rotating Venetian marble / Colour hardener: Bianco / Démoulant: Mapplewood
- 10 Stamp: Mattone di Siena / Colour hardener: Bianco / Release agent: Mapplewood
Stamp: Mattone di Siena / Colour hardener: Bianco / Release agent: Mapplewood
Matrice: Mattone di Siena / Colour hardener: Bianco / Démoulant: Mapplewood
- 11 Stamp: Roman slate texture / Colour hardener: Sun buff / Release agent: Marrone
Stamp: Roman slate texture / Colour hardener: Sun buff / Release agent: Marrone
Matrice: Roman slate texture / Colour hardener: Sun buff / Démoulant: Marrone
- 12 Stamp: Castle stone / Colour hardener: Cream / Release agent: Marrone
Stamp: Castle stone / Colour hardener: Cream / Release agent: Marrone
Matrice: Castle stone / Colour hardener: Cream / Démoulant: Marrone
- 13 Stamp: European fan / Colour hardener: Gray / Release agent: Antracite
Stamp: European fan / Colour hardener: Gray / Release agent: Antracite
Matrice: European fan / Colour hardener: Gray / Démoulant: Antracite
- 14 Stamp: Random stone / Colour hardener: Yellow buff / Release agent: Tabacco
Stamp: Random stone / Colour hardener: Yellow buff / Release agent: Tabacco
Matrice: Random stone / Colour hardener: Yellow buff / Démoulant: Tabacco
- 15 Stamp: Ashlar cut slate / Colour hardener: Tortora / Release agent: Antracite
Stamp: Ashlar cut slate / Colour hardener: Tortora / Release agent: Antracite
Matrice: Ashlar cut slate / Colour hardener: Tortora / Démoulant: Antracite
- 16 Stamp: Cedar wood plank / Colour hardener: Bianco / Release agent: Mapplewood
Stamp: Cedar wood plank / Colour hardener: Bianco / Release agent: Mapplewood
Matrice: Cedar wood plank / Colour hardener: Bianco / Démoulant: Mapplewood
- 17 Stamp: Grand ashlar slate / Colour hardener: Yellow buff / Release agent: Antracite
Stamp: Grand ashlar slate / Colour hardener: Yellow buff / Release agent: Antracite
Matrice: Grand ashlar slate / Colour hardener: Yellow buff / Démoulant: Antracite
- 18 Stamp: Fractured Cyprus slate / Colour hardener: Bianco / Release agent: Terracotta
Stamp: Fractured Cyprus slate / Colour hardener: Bianco / Release agent: Terracotta
Matrice: Fractured Cyprus slate / Colour hardener: Bianco / Démoulant: Terracotta



Colour hardener: Bianco, Zinco
Release agent/Démoulant: Antracite
Stampo/Stamp/Matrice: Large ashlar cut slate, European fan
Greca/Border/Frise: Cut stone border
Ideal stain: Ebony

Pavimento Sassoitalia
Sassoitalia Terrazzo Technology
Revêtement en béton désactivé-Sassoitalia



Muro Stampato
Vertical Texturing Systems
Revêtements muraux



Sistema Micro-Topping
Micro-Topping System
Système Micro-Topping



Pavimento Acidificato e Nuvolato
Reactive Stain and Nuvolato floor
Revêtement acidifié et ciré



ISOLTECNO

ISOLTECNO di Bruno Di Marino
Via Della Torre,28
80014 Giugliano in Campania (NA)
Tel. 081 8951513.